


T7300/Q7300 Programmable Thermostats

CROSS REFERENCE



T7300

T7300 Series 2000

GENERAL

This cross-reference provides information helpful in selecting a replacement for existing T7300/Q7300 Commercial programmable thermostats with the appropriate Series 2000 T7300/Q7300 product.

All T7300/Q7300 Series 2000 models are different from the existing T7300/Q7300 devices as summarized in table 1 below.

Table 1. Summary of Changes.

Feature/Function	Present T7300/Q7300 Family	T7300/Q7300 Series 2000 Family
System switching	Mechanical switch on Q7300 subbase	Keyboard entry on T7300 thermostat
Fan switching	Mechanical switch on Q7300 subbase	Keyboard entry on T7300 thermostat
Installer Configuration	Field settings made via DIP switches on the back of the thermostat and subbase	Field settings made through the T7300 thermostat keyboard
Device color	Beige or Premier White® color	Taupe color



USING THE CROSS-REFERENCE

- Model Number:** Column lists the present T7300/Q7300 model that is desired to be replaced.
Description: Provides product summary of the existing model number listed in column 1.
Replacement: T7300/Q7300 Series 2000 direct or functional replacement for present model.
Remarks: Summarizes differences associated with the "Replacement" product. Lists configuration settings and wiring connections to make the "Replacement" model a direct or functional replacement device.

T7300/Q7300 Cross Reference.

Model Number	Description	Trade Replacement	Remarks
Q7300A	Multistage conventional subbase; system switch: none; fan switch: none.		
Q7300A1000	One-stage heat and one-stage cool.	T7300F2002/Q7300A2008	
Q7300A1018	Two-stage heat and two-stage cool.	T7300F2002/Q7300A2016	
Q7300A1034	One-stage heat and one-stage cool; Trane part no. BAS-0444.	T7300F2002/Q7300A2008	
Q7300A1042	Two-stage heat and two-stage cool; Trane part no. BAS-0445.	T7300F2002/Q7300A2016	
Q7300A1059	Two-stage heat and two-stage cool; Micrometl part no. 901-3.	T7300F2002/Q7300A2016	
Q7300A1067	Two-stage heat and two-stage cool; Carrier part no. HH93AX005.	T7300F2002/ Q7300A2016	Wiring differences (old=new): C=X
Q7300A1075	One-stage heat and one-stage cool; gray color.	T7300F2002/Q7300A2008	
Q7300A1083	Two-stage heat and two-stage cool; gray color.	T7300F2002/Q7300A2016	
Q7300B	Multistage conventional subbase; system switch: AUTO-COOL-OFF-HEAT; fan switch: AUTO-ON.		
Q7300B1008	Two-stage heat and two-stage cool.	T7300F2010/Q7300A2016	
Q7300B1016	Two-stage heat and two-stage cool; Lennox part no. 81G6001.	T7300F2010/Q7300A2016	
Q7300B1024	Two-stage heat and two-stage cool; York part no. 025-27507.	T7300F2010/Q7300A2016	Wiring differences (old=new): B=X.
Q7300B1032	Two-stage heat and two-stage cool; Trane part no. BAS-0446.	T7300F2010/Q7300A2016	
Q7300B1040	Two-stage heat and two-stage cool; Carrier part no. HH93AX004.	T7300F2010/Q7300A2016	Wiring differences (old=new): C=X, A1=A2, A2=A1.
Q7300B1057	Two-stage heat and two-stage cool; Snyder General part no. 1520510.	T7300F2010/Q7300A2016	
Q7300B1065	Two-stage heat and two-stage cool; Snyder General part no. 490249B-04.	T7300F2010/Q7300A2016	
Q7300B1073	Two-stage heat and two-stage cool; Honeywell TRADELINE® model.	T7300F2010/Q7300A2016	Wiring differences (old=new): B=X.
Q7300B1081	Two-stage heat and two-stage cool; gray color.	T7300F2010/Q7300A2016	
Q7300C	Multistage heat pump subbase; system switch: AUTO-COOL-OFF-HEAT-EM HEAT; fan switch: AUTO-ON.		
Q7300C1006	Single-stage heat pump with auxiliary heat (2H/1C).	T7300F2010/ Q7300C2004	Wiring differences (old=new): W1=W2, B=A3.
Q7300C1014	Two-stage heat pump with auxiliary heat (3H/2C).	T7300F2010/Q7300C2012	Wiring differences (old=new): B=A3.
Q7300C1022	Two-stage heat pump with auxiliary heat (3H/2C); Lennox part no. 81G6901.	T7300F2010/Q7300C2012	Wiring differences (old=new): B=A3.
Q7300C1030	Two-stage heat pump with auxiliary heat (3H/2C); York part no. 025-27508.	T7300F2010/Q7300C2012	Wiring differences (old=new): B=X, X=E.

(continued)

T7300/Q7300 Cross Reference (Continued).

Model Number	Description	Trade Replacement	Remarks
Q7300C1048	Single-stage heat pump with auxiliary heat (2H/1C); Trane part no. BAS-0447.	T7300F2010/Q7300C2004	Wiring differences (old=new): W1=W2, B=A3.
Q7300C1055	Two-stage heat pump with auxiliary heat (3H/2C); Trane part no. BAS-0048.	T7300F2010/Q7300C2012	Wiring differences (old=new): B=A3.
Q7300C1063	Single-stage heat pump with auxiliary heat (2H/1C); Micrometl part no. 901-24.	T7300F2010/Q7300C2004	Wiring differences (old=new): W1=W2, B=A3.
Q7300C1071	Two-stage heat pump with auxiliary heat (3H/2C).	T7300F2010/Q7300C2012	Wiring differences (old=new): B=A3.
Q7300C1089	Two-stage heat pump with auxiliary heat (3H/2C); Honeywell TRADELINE® model.	T7300F2010/Q7300C2012	Wiring differences (old=new): B=X, X=E.
Q7300C1097	Single-stage heat pump with auxiliary heat (2H/1C).	T7300F2010/Q7300C2004	Wiring differences (old=new): W1=W2, B=A3.
Q7300C1105	Two-stage heat pump with auxiliary heat (3H/2C); gray color.	T7300F2010/Q7300C2012	Wiring differences (old=new): B=A3.
Q7300D	Multistage heat pump subbase; does not include O or B terminals; system switch: AUTO-COOL-OFF-HEAT-EM HEAT; fan switch: AUTO-ON.		
Q7300D1004	Two-stage heat pump with auxiliary heat (3H/2C); Carrier part no. HH93AX002.	T7300F2010/ Q7300D2002	Wiring differences (old=new): C=X, A1=A2, A2=A1.
Q7300D1012	Single-stage heat pump with auxiliary heat (2H/1C); Carrier part no. HH93AX003.	T7300F2010/ Q7300D2002	Wiring differences (old=new): C=X, A1=A2, A2=A1.
Q7300D1020	Two-stage heat pump with auxiliary heat (3H/2C); York part no. 025-27724-000.	T7300F2010/ Q7300D2002	Wiring differences (old=new): B=X, X=X1.
Q7300D1038	Two-stage heat pump with auxiliary heat (3H/2C).	T7300F2010/Q7300D2002	
Q7300D1046	Two-stage heat pump with auxiliary heat (3H/2C); Lennox part no. 13H7601.	T7300F2010/Q7300D2002	
Q7300D1053	Single-stage heat pump with auxiliary heat (2H/1C).	T7300F2010/Q7300D2010	
Q7300D1061	Two-stage heat pump with auxiliary heat (3H/2C); Honeywell TRADELINE® model.	T7300F2010/Q7300D2002	Wiring differences (old=new): B=X, X=X1.
Q7300D1079	Two-stage heat pump with auxiliary heat (3H/2C); gray color.	T7300F2010/Q7300D2002	
Q7300D1087	Single-stage heat pump with auxiliary heat (2H/1C); gray color.	T7300F2010/Q7300D2010	
Q7300E	Multistage conventional subbase; system switch: none; fan switch: AUTO-ON.		
Q7300E1001	Two-stage heat and two-stage cool.	T7300F2010/Q7300A2016	Configure changeover in Installer Setup 12 to auto only.
Q7300E1019	Two-stage heat and two-stage cool; gray color.	T7300F2010/Q7300A2016	
Q7300F	Multistage heat pump subbase; system switch: none; fan switch: none.		
Q7300F1009	Single-stage heat pump with auxiliary heat (2H/1C).	T7300F2002/Q7300C2004	
Q7300F1017	Two-stage heat pump with auxiliary heat (3H/2C).	T7300F2002/Q7300C2012	
Q7300F1025	Single-stage heat pump with auxiliary heat (2H/1C); gray color.	T7300F2002/Q7300C2004	
Q7300F1033	Two-stage heat pump with auxiliary heat (3H/2C); gray color.	T7300F2002/Q7300C2012	
Q7300F1041	Single-stage heat pump (1H/1C); Carrier part no. HH93AX006.	T7300F2002/Q7300C2004	Wiring differences (old=new): C=X. Configure output staging in Installer Setup 3.

(continued)

T7300/Q7300 Cross Reference (Continued).

Model Number	Description	Trade Replacement	Remarks
Q7300G	Conventional heat pump subbase; system switch: AUTO-COOL-OFF-HEAT; fan switch: none.		
Q7300G1007	One-stage heat and three-stage cool.	T7300F2010/Q7300G2005	Configure output staging in Installer Setup 3.
Q7300G1015	One-stage heat and three-stage cool; gray color.	T7300F2010/Q7300G2005	
Q7300L	Multistage conventional subbase used with ML984A and V5013; system switch: none; fan switch: AUTO-ON.		
Q7300L1006	Two-stage heat and one-stage cool.	T7300F2010/Q7300L2004	
Q7300L1014	Two-stage heat and one-stage cool; gray color.	T7300F2010/Q7300L2004	
T7200A	One-stage heat and one-stage cool conventional thermostat.		
T7200A1006	Honeywell logo.	T7200D2008	
T7200A1022	Honeywell logo with international faceplate.	T7200D2008	
T7200B	One-stage heat and one-stage cool heat pump thermostat.		
T7200B1004	Honeywell logo.	T7200E2005	
T7200B1012	Mammoth logo; part no. 71116701.	T7200E2005	
T7200B1020	Carrier logo; part no. HH07AX010A.	T7200E2005	
T7300A	Multistage conventional and heat pump thermostat.		
T7300A1005	Honeywell logo.		See subbase description for replacement information.
T7300A1013	York logo; part no. 025-27506.		See subbase description for replacement information.
T7300A1021	Lennox logo; part no. 81G5901.		See subbase description for replacement information.
T7300A1039	Trane logo; part no. THT-0608.		See subbase description for replacement information.
T7300A1047	Micrometl logo; part no. 901-114.		See subbase description for replacement information.
T7300A1054	Honeywell logo with international faceplate.		See subbase description for replacement information.
T7300A1062	Carrier logo; part no. HH07AX005.		See subbase description for replacement information.
T7300A1070	Roca logo with international faceplate.		See subbase description for replacement information.
T7300A1088	Honeywell logo with Spanish faceplate.		See subbase description for replacement information.
T7300A1104	Honeywell logo; Premier White® color.		See subbase description for replacement information.
T7300A1120	Luxaire logo; part no. 6ET04700224A.		See subbase description for replacement information.
T7300B	Multistage conventional and heat pump thermostat with 3-HOUR OVERRIDE key on cover.		
T7300B1003	Honeywell logo.		See subbase description for replacement information.
T7300B1011	Climate Control logo; part no. 490249B-05.		See subbase description for replacement information.
T7300B1029	McQuay logo; part no. 490249B-06.		See subbase description for replacement information.
T7300B1037	Arcoaire logo; part no. 1506746.		See subbase description for replacement information.

(continued)

T7300/Q7300 Cross Reference (Continued).

Model Number	Description	Trade Replacement	Remarks
T7300B1045	Comfortmaker logo; part no. 1505746.		See subbase description for replacement information.
T7300B1052	Honeywell logo; Premier White® color.		See subbase description for replacement information.
T7300C	Multistage conventional and heat pump thermostat with limited access cover.		
T7300C1001	Honeywell logo.		See subbase description for replacement information.
T7300C1019	Honeywell logo; Premier White® color.		See subbase description for replacement information.
T8611M	Three-stage heat and two-stage cool heat pump thermostat; System : EM HEAT-HEAT-OFF-AUTO-COOL; fan switch: ON-AUTO.		
T8611M7008	Honeywell logo; TRADELINE® model.	T7300E2020/Q7300C2053	Wiring differences (old=new): C=X, X4 to X field-installed jumper required.
T8611M7040	Honeywell logo; TRADELINE® model; remote sensor capability.	T7300E2020/Q7300C2053	Wiring differences (old=new): C=X, X4 to X field-installed jumper required; purchase new remote 2-wire sensors separately (T7047C).
T8611M7057	Honeywell logo; TRADELINE® Premier White® color model; remote sensor capability.	T7300E2020/Q7300C2053	Wiring differences (old=new): C=X, X4 to X field-installed jumper required; purchase new remote 2-wire sensors separately (T7047C). Taupe color.
T8611M7065	Trol-A-Temp® by Honeywell logo; Premier White® color.	None	See Trol-A-Temp® representative for replacement.
T8611M7073	Trane logo; white styling; part no. TAYSTAT502.	T7300E2020/Q7300C2053	Wiring differences (old=new): B=X, F=X1, X2=E, Y1=Y, X4 to X field-installed jumper required. Taupe color.
T8621A^a	One-stage heat and one-stage cool conventional thermostat; two transformer capability; system switch: HEAT-AUTO-COOL-OFF; fan switch: ON-AUTO.		
T8621A7002	Honeywell logo; TRADELINE® model.	T7300D2007/Q7300A2008	Wiring differences (old=new): C=X.
T8621A7010	Honeywell logo; Canadian TRADELINE® model.	T7300D2007/Q7300A2008	Wiring differences (old=new): C=X.
T8621A7028	Amana logo.	T7300D2007/Q7300A2008	Wiring differences (old=new): C=X.
T8621A7036	Trane logo; part no. THT-0605, order no. 13510323-15-7.	T7300D2007/Q7300A2008	Wiring differences (old=new): C=X.
T8621A7044	Honeywell logo; TRADELINE® model; remote sensor capability.	T7300D2007/Q7300A2008	Wiring differences (old=new): C=X; purchase new remote 2-wire sensors separately (T7047C).
T8621A7051	McQuay logo; Premier White® color; part no. 067114201.	T7300D2007/Q7300A2008	Wiring differences (old=new): C=X. Taupe color.
T8621A7069	Honeywell logo; TRADELINE® Premier White® color model; remote sensor capability.	T7300D2007/Q7300A2008	Wiring differences (old=new): C=X; purchase new remote 2-wire sensors separately (T7047C). Taupe color.

^a For residential styled replacement, please see Residential Cross-Reference form number 50-8434.

(continued)

T7300/Q7300 Cross Reference (Continued).

Model Number	Description	Trade Replacement	Remarks
T8621B^a	One-stage heat and two-stage cool conventional thermostat; one transformer capability; System: HEAT-AUTO-COOL-OFF; fan switch: ON-AUTO		
T8621B7000	Carrier logo; LOW and HIGH SPEED LEDs; used on multispeed equipment; part no. HH07AX011.	T7300D2007/Q7300A2016	Wiring differences (old=new): L=X1; X4 to X and RC to RH field-installed jumper required.
T8621B7018	BDP multi-logo; LOW and HIGH SPEED LEDs; used on multispeed equipment; part no. HH07AX012.	T7300D2007/Q7300A2016	Wiring differences (old=new): L=X1; X4 to X and RC to RH field-installed jumper required.
T8621B7026	Honeywell logo; TRADELINE® model; Premier White® color; direct replacement for T8621B7000 and T8621B7018.	T7300D2007/Q7300A2016	Wiring differences (old=new): L=X1; X4 to X and RC to RH field-installed jumper required. Taupe color.
T8621C^a	Two-stage heat and one-stage cool conventional thermostat; two transformer capability; system switch: HEAT-AUTO-COOL-OFF; fan switch: ON-AUTO.		
T8621C7008	Honeywell logo; TRADELINE® model.	T7300D2007/Q7300A2040	Wiring differences (old=new): C=X.
T8621C7016	Honeywell logo; Canadian TRADELINE® model.	T7300D2007/Q7300A2040	Wiring differences (old=new): C=X.
T8621C7032	Trane logo; system switch: HEAT-OFF-COOL; one transformer; dual fuel switch; part no. TAYSTAT302.	T7300D2007/Q7300A2040	Wiring differences (old=new): B=X; RC to RH field-installed jumper required.
T8621D^a	Two-stage heat and two-stage cool conventional thermostat; two transformer capability; system switch: HEAT-AUTO-COOL-OFF; fan: ON-AUTO.		
T8621D7006	Honeywell logo; TRADELINE® model.	T7300D2007/Q7300A2057	Wiring differences (old=new): C=X.
T8621D7014	Honeywell logo; Canadian TRADELINE® model.	T7300D2007/Q7300A2057	Wiring differences (old=new): C=X. Configure for °C in Installer Setup 14.
T8621D7022	Honeywell logo; TRADELINE® model; system switch: HEAT-OFF-COOL; dual fuel switch; O and B terminals.	T7300D2007/Q7300A2057	Wiring differences (old=new): C=X. Configure manual changeover in Installer Setup 12.
T8621D7030	Trane logo; part no. THT-0607; order no. 13510323-17-7.	T7300D2007/ Q7300A2057	Wiring differences (old=new): C=X.
T8621D7048	BDP multi-logo.	T7300D2007/Q7300A2057	Wiring differences (old=new): C=X.
T8621D7055	Lennox logo; one transformer capability; part no. 27H2901.	T7300D2007/Q7300A2057	Wiring differences (old=new): C=X. RC to RH field-installed jumper required.
T8621D7063	Trol-A-Temp® by Honeywell logo; system switch: HEAT-OFF-COOL; O and B terminals.	None	See Trol-A-Temp® representative for replacement.
T8621D7071	Trol-A-Temp® by Honeywell logo; no system or fan switching.	None	See Trol-A-Temp® representative for replacement.
T8621D7089	Carrier logo; part no. HH641-103.	T7300D2007/Q7300A2057	Wiring differences (old=new): C=X.
T8621D7097	Honeywell logo; TRADELINE® model; remote sensor capability.	T7300D2007/Q7300A2057	Wiring differences (old=new): C=X; purchase new remote 2-wire sensors separately (T7047C).

^a For residential styled replacement, please see Residential Cross-Reference form number 50-8434.

(continued)

T7300/Q7300 Cross Reference (Continued).

Model Number	Description	Trade Replacement	Remarks
T8621D7105	Friedrich logo; L terminal; extra switch for louver control; part no. 616-789-01.	None	See OEM for replacement information.
T8621D7113	Honeywell Logo; Canadian TRADELINE® Premier White® color model.	T7300D2007/Q7300A2057	Wiring differences (old=new): C=X. Configure for °C in Installer Setup 14. Taupe color.
T8621D7139	McQuay logo; Premier White® color; part no. 067114301.	T7300D2007/Q7300A2057	Wiring differences (old=new): C=X. Taupe color.
T8621D7147	Honeywell logo; TRADELINE® Premier White® color model; remote sensor capability.	T7300D2007/Q7300A2057	Wiring differences (old=new): C=X.; purchase new remote 2-wire sensors separately (T7047C).
T8621D7154	Carrier Weathermaker logo; part no. HH07AX014.	T7300D2007/Q7300A2057	Wiring differences (old=new): C=X.
T8621D7162	Carrier Zone Perfect logo; part no. HH07AX015.	T7300D2007/Q7300A2057	Wiring differences (old=new): C=X.
T8621D7170	Honeywell logo; TRADELINE® Premier White® color model.	T7300D2007/Q7300A2057	Wiring differences (old=new): C=X. Taupe color.
T8621D7188	Carrier logo; Premier White® color; part no. HH07AT014W.	T7300D2007/Q7300A2057	Wiring differences (old=new): C=X. Taupe color.
T8621E	Two-stage cool only model with louver control; system switch: COOL-OFF; fan switch: ON-AUTO.		
T8621E7003	Friedrich logo; L terminal; extra switch for louver control; part no. 616-789-00.	None	See OEM for replacement information.
Y7200	One-stage heat and one-stage cool heat pump thermostat.		
Y7200B1009	Contains six T7200B1020 Thermostats; Carrier part no. 50QE90016101.	T7200E2005	Wiring differences (old=new): C=X.
Y7300	Multistage T7300 thermostat and Q7300 subbase.		
Y7300A1000	Contains one T7300A1047 Thermostat and one Q7300A1059 Subbase; Micrometl part no. 1060A-100.	T7300F2002/Q7300A2016	Wiring differences (old=new): B=X.
Y7300A1018	Contains one T7300A1062 Thermostat and one Q7300F1041 Subbase; Carrier part no. 50QE90028101.	T7300F2002/Q7300C2004	
Y7300B1008	Contains one T7300A1013 Thermostat and one Q7300B1024 Subbase; York part no. 025-27504; York model no. 2ET04700224.	T7300F2010/Q7300A2016	
Y7300B1016	Contains one T7300B1045 Thermostat and one Q7300B1057 Subbase; Comfortmaker part no. 1505748.	T7300F2010/Q7300A2016	
Y7300B1024	Contains one T7300B1037 Thermostat and one Q7300B1057 Subbase; Arcoaire part no. 1506748.	T7300F2010/Q7300A2016	
Y7300C1006	Contains one T7300A1013 Thermostat and one Q7300C1030 Subbase; York part no. 025-27505; York model no. 2ET04700324.	T7300F2010/Q7300C2012	Wiring differences (old=new): B=X, X=E.
Y7300C1014	Contains one T7300A1047 Thermostat and one Q7300C1063 Subbase; Micrometl part no. 1060A-200.	T7300F2010/Q7300C2004	Wiring differences (old=new): W1=W2, B=A3.
Y7300D1004	Contains one T7300A1013 Thermostat and one Q7300D1020 Subbase; York part no. 025-27724-000; York model no. 2ET04700424A.	T7300F2010/Q7300D2002	Wiring differences (old=new): B=X, X=L1.

T7300/Q7300 Series 2000 Cross Reference.

Model Number	Figure Number	Description	Trade Replacement	Remarks
Q7300A	Multistage conventional subbase used with T7300D or F Thermostat.			
Q7300A2008	21	One-stage heat and one-stage cool; TRADELINE® model; remote sensor capability; taupe color.	Q7300A2008	Direct replacement for T8621A Thermostats.
Q7300A2016	24	Two-stage heat and two-stage cool; TRADELINE® model; remote sensor and discharge air sensor capability; taupe color.	Q7300A2016	
Q7300A2040	22	Two-stage heat and one-stage cool; TRADELINE® model; taupe color.	Q7300A2040	Direct replacement for T8621C Thermostats.
Q7300A2057	23	Two-stage heat and two-stage cool; TRADELINE® model; O and B terminals; taupe color.	Q7300A2057	Direct replacement for T8621D7022 Thermostat.
Q7300C	Multistage heat pump subbase used with T7300E or F Thermostat.			
Q7300C2004	25	Single-stage heat pump with auxiliary heat (2H/1C); TRADELINE® model; remote sensor and discharge air sensor capability; taupe color	Q7300C2004	
Q7300C2012	26	Two-stage heat pump with auxiliary heat (3H/2C); TRADELINE® model; remote sensor and discharge air sensor capability; taupe color.	Q7300C2012	
Q7300C2053	27	Two-stage heat pump with auxiliary heat (3H/2C); TRADELINE® model; CHECK and FAIL LEDs; taupe color.	Q7300C2020	Direct replacement for T8611M Thermostats.
Q7300D	Multistage heat pump subbase used with T7300E or F Thermostat.			
Q7300D2002	28	Two-stage heat pump with auxiliary heat (3H/2C); TRADELINE® model; remote sensor and discharge air sensor capability; taupe color.	Q7300D2002	
Q7300D2010	29	Single-stage heat pump with auxiliary heat (2H/1C); TRADELINE® model; remote sensor and discharge air sensor capability; taupe color.	Q7300D2010	
Q7300G	Multistage conventional subbase used with T7300D or F Thermostat.			
Q7300G2005	30	Three-stage heat and three-stage cool (3H/3C); TRADELINE® model; remote sensor and discharge air sensor capability; taupe color.	Q7300G2005	
Q7300L	Multistage subbase used with ML7984A, V5011, V5013 and T7300D or F Thermostat.			
Q7300L2004	31, 32	Two-stage heat and one-stage cool (2H/1C); TRADELINE® model; multispeed fan; contacts for damper control relay and pump interlock relay; HEAT and COOL LEDs; remote sensor and discharge air sensor capability; taupe color.	Q7300L2004	Direct replacement for Q7300L1006 and Q7300L1014 Subbases.
T7200D	One-stage heat and one-stage cool conventional thermostat.			
T7200D2008	19	Honeywell logo; no system or fan settings.	T7200D2008	Direct replacement for T7200A Thermostats.
T7200E	One-stage heat and one-stage cool heat pump thermostat.			
T7200E2005	20	Honeywell logo; no system or fan settings.	T7200E2005	Direct replacement for T7200B Thermostats.

(continued)

T7300/Q7300 Series 2000 Cross Reference (Continued).

Model Number	Figure Number	Description	Trade Replacement	Remarks
T7300D	Multistage conventional thermostat used with Q7300A,G, or L Subbase.			
T7300D2007	Refer to subbase	Honeywell logo; TRADELINE® model; remote sensor capability; system settings: Heat-Off-Cool-Auto; taupe color.	T7300D2007	Direct replacement for T8621 Thermostats.
T7300E	Multistage heat pump thermostat used with Q7300C or D Subbase.			
T7300E2020	Refer to subbase	Honeywell logo; TRADELINE® model; remote sensor capability; system settings: Em Heat-Heat-Off-Cool-Auto; taupe color.	T7300E2020	Direct replacement for T8611M Thermostats.
T7300F	Multistage thermostat for heat pump (Q7300C or D Subbase) and conventional (Q7300A,G or L Subbase) applications.			
T7300F2002	Refer to subbase	Honeywell logo; SUPER TRADELINE® model; remote sensor and discharge air sensor capability; no system or fan settings; taupe color.	T7300F2002	
T7300F2010	Refer to subbase	Honeywell logo; SUPER TRADELINE® model; remote sensor and discharge air sensor capability; system settings: configurable; fan settings: Auto-On; taupe color.	T7300F2010	

Home and Building Control

Honeywell Inc.
Honeywell Plaza
P.O. Box 524
Minneapolis MN 55408-0524

Honeywell Latin American Division

Miami Lakes Headquarters
14505 Commerce Way Suite 500
Miami Lakes FL 33016

Home and Building Control

Honeywell Limited-Honeywell Limitée
155 Gordon Baker Road
North York, Ontario
M2H 2C9

Honeywell Europe S.A.

3 Avenue du Bourget
B-1140 Brussels Belgium

Honeywell Asia Pacific Inc.

Room 3213-3225
Sun Hung Kai Centre
No. 30 Harbour Road
Wanchai
Hong Kong

Honeywell

