


# WEB-S-AX-W and WEBPro-AX™

## SPECIFICATION DATA



## APPLICATIONS


WEBPro-AX™ is a powerful and comprehensive set of engineering tools specifically designed for the Honeywell WEBs-AX™ system. It provides a common, easy to use graphical-based engineering environment for programming the complete suite of Honeywell WEBs-AX™ controllers, Excel 15C Plant controllers, Excel 10 zone controllers, and Spyder controllers. WEBPro-AX incorporates the industry's first software technology to integrate BACnet®, LONWORKS®, and various industry and Internet standards in a common object model, embedded at the controller level and supported by a standard Web browser interface. This powerful engineering toolkit provides the user with the ability to manage and integrate multiple protocols and can be used locally or over the Internet to a remote location.

WEBPro-AX™ is supplied as an integral part of Honeywell WEBStation-AX™.

## FEATURES

- Powerful graphical user interface enabled by Java™ programming language.
- Supports development of Mobile Web applications. The Web server automatically detects mobile browsers and provides alternate user experience targeted at a smaller display.
- Fast application development with a preassembled common object library.
- Workbench theming allows the developer to define style attributes with customized color schemes, fonts and icons according to user's choice.
- Easy-to-use powerful programming language for custom applications.
- Comprehensive network management tool for LONWORKS® based devices.
- Graphics library is updated with 3-D and photo realistic images for generic graphics & HVAC equipment.
- Graphical engineering environment for easy application creation using graphical Java objects.
- Configuration and testing of control application logic and user interface graphics.
- Simple, common linking mechanism allows for transparent data sharing between devices of the same or different protocols.
- Library of graphical images, HVAC backgrounds, and animation features for creating comprehensive graphic displays.
- Mobile Px Pane allows Systems Integrators to create custom views optimized for mobile devices.
- Audit Trail of database changes indicating user, time stamp and audit action.
- Password protection and security using standard Java authentication and encryption techniques.
- HTML based help system that includes comprehensive online system documentation.
- An event service that allows events to be generated by any event source and then managed and routed by the event service.





## PLATFORM REQUIREMENTS

### Processor

Intel Pentium® IV, 2 GHz or higher, Core 2 Duo also acceptable

### Operating System

32-bit OS required: Windows AX Supervisors, Microsoft Windows XP Professional, Windows 2003 or 2008 Server (if Microsoft IIS is disabled), Vista Business, or Windows 7 Professional and Enterprise, with Mozilla Firefox™ or Internet Explorer™ 5.0 or later  
 64-bit OS required: Windows AX Supervisor, Win64 version of Windows XP Professional or Win64 version of Windows 7 Professional & Enterprise  
 Linux OS required: AX Supervisors (32-bit), Red Hat Enterprise Linux 5

### Memory

1 GB minimum, 2 GB or more recommended for large systems, 8 GB or more recommended for the Windows 64-bit version

### Hard Drive

1 GB minimum, 5 GB for applications that need more archiving capacity

### Display

Video card and monitor capable of displaying 1024 x 768 pixel resolution or greater

### Network Support

Ethernet adapter (10/100 Mb with RJ-45 connector) Connectivity  
 Full-time high-speed ISP connection recommended for remote site access (i.e. T1, ADSL, cable modem)

## ORDERING INFORMATION

Part #	Description
WEB-S-AX-W	WEBPro-AX™ Engineering Package, can be used for 32 or 64-bit Windows or Linux.

BACnet® is a registered trademark of American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE).  
 Echelon® and LONWORKS® are registered trademarks of Echelon Corp.  
 Pentium® is a registered trademark of Intel Corporation.  
 Microsoft® and Windows NT® are registered trademarks of Microsoft, Inc.  
 Java™ is a trademark of Sun Microsystems, Inc.  
 Niagara Framework® is a registered trademark of Tridium, Inc.



By using this Honeywell literature, you agree that Honeywell will have no liability for any damages arising out of your use or modification to, the literature. You will defend and indemnify Honeywell, its affiliates and subsidiaries, from and against any liability, cost, or damages, including attorneys' fees, arising out of, or resulting from, any modification to the literature by you.

## Automation and Control Solutions

Honeywell International Inc.  
 1985 Douglas Drive North  
 Golden Valley, MN 55422  
 customer.honeywell.com

